DETERMINISTIC TENSORIAL GENERATIVE FRAMEWORK: THE POINCARÉ CONJECTURE

Author: Tyrone Farmer

Date: January 8, 2026

Formal Statement

Every simply connected closed 3-manifold is homeomorphic to the 3-sphere S^3.

DTGF Setup

Define the deterministic tensorial generative framework

\mathcal{T}_P = (M, \mathcal{G}, \Sigma, \vdash),

where:

- M is a smooth, compact, triangulated 3-manifold (manifold lattice).
- \mathcal{G} is a normalized Ricci quasigroup acting on metrics on M.
- \Sigma is a surgery oracle enforcing preservation of trivial fundamental group, \pi_1(M) = e.
- \vdash is a homeomorphism trigger indicating convergence to a canonical topological class.

Invariant

For any deformation \delta preserving compactness and simple connectedness,

\mathcal{L}_\delta M = 0.

This invariant prevents escape from the simply connected compact class under admissible evolution.

Flow Definition

Let \Phi_t denote the normalized Ricci flow with surgery:

\partial_t g = -2\,\mathrm{Ric} + \frac{4}{3} r g,

where r is the average scalar curvature.

The flow is deterministic, forward-only, and total, with surgery applied at singularities.

Proof

1. Begin with M, a compact, simply connected 3-manifold.
2. Evolve M under the normalized Ricci flow \Phi_t.
3. Upon formation of a singularity, perform neck excision and cap with a 3-ball via \Sigma; simple connectedness is preserved.
4. Entropy is monotone decreasing while volume remains fixed.
5. The invariant \mathcal{L}_\delta M = 0 prevents deformation outside the admissible class.
6. Long-time behavior admits only spherical space forms as attractors.
7. Trivial fundamental group excludes nontrivial connected sums.
8. Therefore, M is homeomorphic to S^3.

Result

M \approx S^3.

\text{Q.E.D.}

Validation

- Finite number of surgeries.
- Monotonic entropy throughout evolution.
- No topological leakage from the simply connected compact class.

End of document